



City of Aliso Viejo
Building Division
12 Journey, Suite 100
Aliso Viejo, CA 92656
(949)425-2540 Fax (949)425-3899
www.cityofaliso Viejo.com

2013 TITLE 24 RESIDENTIAL LIGHTING REQUIREMENTS

ROOM	LIGHTING REQUIREMENTS
<p>Kitchen</p> <p>Exception: Up to 50 watts for dwelling units less than or equal to 2500 sqft or 100 watts for dwelling units larger than 2500 sqft may be exempt from the 50 percent high efficacy requirement when the following conditions are met:</p> <ul style="list-style-type: none">A. All low efficacy luminaires in the kitchen are controlled by a vacancy sensor, dimmer, energy management control system, or multi-scene programmable control system; andB. All permanently installed luminaires in garages, laundry rooms, closets greater than 70 sqft and utility rooms are high efficacy and are controlled by a manual-on occupant sensor.	<p>High efficacy or up to 50% of the total wattage can be low efficacy. All high efficacy and low efficacy lights must be controlled independently from each other.</p>
<p>Bathroom, Garages, Closets, Laundry Rooms, and Utility Room</p> <p>Exception: Closets less than 70 sqft</p>	<p>High efficacy and controlled by vacancy sensor</p>
<p>All other interior rooms (e.g., living room, dining room, bedroom, hallways) except closets less than 70 sqft.</p>	<p>High efficacy or vacancy sensor or dimmer</p>
<p>Outdoor lighting attached to buildings</p>	<p>High efficacy or controlled by photocell and motion sensor astronomical time clock with no override, or energy management control system.</p>